SAFETY DATA SHEET

1. Identification

Product identifier ZRC Zero-VOC Water-Based Galvanizing Compound - Powder Component

Other means of identification

Product code 40002 - 40003

Recommended use Zinc rich pigment primers.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

ZRC Worldwide Supplier/Manufacturer

Address 145 Enterprise Drive, Marshfield, MA 02050

781-319-0400 **Telephone**

Emergency telephone

(CHEMTREC)

703-527-3887 CCN15781

Email info@zrcworldwide.com

2. Hazard(s) identification

Physical hazards Not classified. Not classified. **Health hazards**

Environmental hazards Hazardous to the aquatic environment, acute Category 1

hazard

Hazardous to the aquatic environment, Category 1

long-term hazard

OSHA defined hazards Combustible dust

Label elements



Signal word Warning

May form combustible dust concentrations in air. Very toxic to aquatic life with long lasting effects. **Hazard statement**

Precautionary statement

Prevention Prevent dust accumulation to minimize explosion hazard. Keep away from heat/sparks/open

flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Avoid release to the environment. Observe good industrial hygiene

practices.

Response Take off contaminated clothing and wash it before reuse. In case of fire: Use special powder

against metal fires, dry sand to extinguish. Collect spillage.

Store away from incompatible materials. Storage

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Zinc	7440-66-6	90 - 100
Zinc oxide	1314-13-2	1 - 5

Composition comments All concentrations are in percent by weight unless otherwise indicated.

ZRC Zero-VOC Water-Based Galvanizing Compound - Powder Component 917776 Version #: 07 Revision date: 27-February-2023 Issue date: 14-December-2013 1/8

4. First-aid measures

Inhalation In case of inhalation of dust: Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Dusts may irritate the respiratory tract, skin and eyes.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

Treat symptomatically.

5. Fire-fighting measures

Suitable extinguishing media Special powder against metal fires. Dry sand.

Apply extinguishing media carefully to avoid creating airborne dust. Avoid high pressure media

which could cause the formation of a potentially explosible dust-air mixture.

Unsuitable extinguishing

media

Do not use water as an extinguisher.

Specific hazards arising from the chemical

Explosion hazard: Avoid generating dust; fine dust dispersed in air in sufficient concentrations and in the presence of an ignition source is a potential dust explosion hazard. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Specific methods

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Cool containers exposed to flames with water until well after the fire is out.

Use standard firefighting procedures and consider the hazards of other involved materials.

May form combustible dust concentrations in air. General fire hazards

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Use only non-sparking tools. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Ensure adequate ventilation, Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Collect dust using a vacuum cleaner equipped with HEPA filter. Prevent product from entering drains. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment, Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

ZRC Zero-VOC Water-Based Galvanizing Compound - Powder Component 917776 Version #: 07 Revision date: 27-February-2023 Issue date: 14-December-2013

7. Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation. Avoid significant deposits of material, especially on horizontal surfaces, which may become airborne and form combustible dust clouds and may contribute to secondary explosions. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Explosion-proof general and local exhaust ventilation. Avoid prolonged exposure. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Store at temperatures between 0°C/32°F and 43°C/109°F. Store away from incompatible materials (see Section 10 of the SDS)

8. Exposure controls/personal protection

Occupational exposure limits

LIC COLLA T-	L. I. 7 4 1 1 14 .	A ! O 1	!	OED 4040 4000\
US. USHA TA	ible Z-1 Limits	S TOT AIT CONT	aminants (29	CFR 1910.1000)

Components	Type `	Value	Form
Zinc oxide (CAS 1314-13-2)	PEL	5 mg/m3	Fume.
		5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
US. OSHA Table Z-3 (29 CFR 1910.1000	0)		
Components	Туре	Value	Form
Zinc oxide (CAS 1314-13-2)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
US. ACGIH Threshold Limit Values			
Components	Туре	Value	Form
Zinc oxide (CAS 1314-13-2)	STEL	10 mg/m3	Respirable fraction.
	TWA	2 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide to Chemical	Hazards		
Components	Туре	Value	Form
Zinc oxide (CAS 1314-13-2)	Ceiling	15 mg/m3	Dust.
	STEL	10 mg/m3	Fume.
	TWA	5 mg/m3	Dust.
		5 mg/m3	Fume.

Biological limit values Appropriate engineering controls

No biological exposure limits noted for the ingredient(s).

Explosion-proof general and local exhaust ventilation. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen-deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Individual protection measures, such as personal protective equipment

Eye/face protection Wear dust-resistant safety goggles.

Skin protection

Hand protection Wear protective gloves. Suitable gloves can be recommended by the glove supplier.

Other Wear suitable protective clothing.

limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Wear respirator with dust filter.

SDS US

917776 Version #: 07 Revision date: 27-February-2023 Issue date: 14-December-2013

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Solid.
Form Powder.
Color Gray.
Odor Odorless.
Odor threshold Not applicable.

pH > 7 - < 7.1 (25 °C/77 °F)

Melting point/freezing point 786.2 °F (419 °C)
Initial boiling point and boiling 1662.8 °F (906 °C)

range

Flash point Property has not been measured.

Evaporation rate Property has not been measured.

Flammability (solid, gas) Fine particles may form explosive mixtures with air.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Property has not been measured.

Explosive limit - upper (%) Property has not been measured.

Vapor pressure Property has not been measured.

Vapor density Property has not been measured.

Property has not been measured.

Property has not been measured.

Solubility(ies)

Solubility (water) Insoluble in water.

Partition coefficient Property has not been measured.

(n-octanol/water)

Auto-ignition temperature 1112 °F (600 °C)

Decomposition temperature Property has not been measured. **Viscosity** Property has not been measured.

Other information

Bulk density 58.7 lb/gal

Dust explosion properties

Minimum explosible concentration (MEC)

480 g/m³

Explosive properties Combustible dust hazard.

Oxidizing properties Not oxidizing.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, sparks and open flame. Contact with incompatible materials. Minimize dust

generation and accumulation.

Incompatible materials Strong oxidizing agents. Strong acids. Strong bases.

Hazardous decomposition Decomposition is not expected under normal conditions of use and storage. Fire or high

products temperatures create: Fumes of metal oxides.

11. Toxicological information

Information on likely routes of exposure

Inhalation Dust may irritate respiratory system. Prolonged inhalation may be harmful.

ZRC Zero-VOC Water-Based Galvanizing Compound - Powder Component 917776 Version #: 07 Revision date: 27-February-2023 Issue date: 14-December-2013 **Skin contact** Dust or powder may irritate the skin.

Eye contact Dust may irritate the eyes.

Ingestion No harmful effects expected in amounts likely to be ingested by accident.

Symptoms related to the physical, chemical and toxicological characteristics

Dusts may irritate the respiratory tract, skin and eyes.

Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

Components Species Test Results

Zinc (CAS 7440-66-6)

Acute Oral

LD50 Mouse > 5 g/kg

Zinc oxide (CAS 1314-13-2)

Acute

Inhalation

LC50 Mouse > 5.7 mg/l, 4 Hours

Oral

LD50 Rat > 5000 mg/kg

Skin corrosion/irritation May cause irritation through mechanical abrasion.

Serious eye damage/eye

irritation

Dust may irritate the eyes.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Components Species Test Results

Zinc (CAS 7440-66-6)

Aquatic

Acute

Crustacea EC50 Daphnia magna 0.07 mg/l
Fish LC50 Oncorhynchus mykiss 0.14 mg/l

Persistence and degradability The product sole

The product solely consists of inorganic compounds which are not biodegradable.

Bioaccumulative potential May accumulate in soil and water systems.

ZRC Zero-VOC Water-Based Galvanizing Compound - Powder Component

917776 Version #: 07 Revision date: 27-February-2023 Issue date: 14-December-2013

Mobility in soil The product is insoluble in water. Expected to have low mobility in soil.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

UN number UN3077

UN proper shipping name Transport hazard class(es) Environmentally hazardous substances, solid, n.o.s. (Zinc; Zinc oxide)

Class 9
Subsidiary risk Label(s) 9
Packing group III

Environmental hazards

Marine pollutant Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions 8, 146, 335, A112, B54, IB8, IP3, N20, T1, TP33

Packaging exceptions 155
Packaging non bulk 213
Packaging bulk 240

IATA

UN number UN3077

UN proper shipping name Environmentally hazardous substance, solid, n.o.s. (Zinc; Zinc oxide)

Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
Packing group III
Environmental hazards Yes
ERG Code 9L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN3077

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc; Zinc oxide)

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Environmental hazards

Marine pollutant Yes mS F-A. S-F

EmS F-A, S-

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not applicable.

the IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Zinc (CAS 7440-66-6) 1.0 % Annual Export Notification required.

CERCLA Hazardous Substance List (40 CFR 302.4)

Zinc (CAS 7440-66-6) Listed. Zinc oxide (CAS 1314-13-2) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Toxic Substances Control Act (TSCA)

All com

All components of the mixture on the TSCA 8(b) inventory are designated "active".

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Classified hazard categories

Combustible dust

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Zinc	7440-66-6	90 - 100	
Zinc oxide	1314-13-2	1 - 5	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Zinc (CAS 7440-66-6)

Zinc oxide (CAS 1314-13-2)

US. New Jersey Worker and Community Right-to-Know Act

Zinc (CAS 7440-66-6)

Zinc oxide (CAS 1314-13-2)

US. Pennsylvania Worker and Community Right-to-Know Law

Zinc (CAS 7440-66-6)

Zinc oxide (CAS 1314-13-2)

US. Rhode Island RTK

Zinc (CAS 7440-66-6)

Zinc oxide (CAS 1314-13-2)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Zinc (CAS 7440-66-6)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes

ZRC Zero-VOC Water-Based Galvanizing Compound - Powder Component 917776 Version #: 07 Revision date: 27-February-2023 Issue date: 14-December-2013 Country(s) or region Inventory name On inventory (yes/no)* Canada Non-Domestic Substances List (NDSL) Inventory of Existing Chemical Substances in China (IECSC) China Yes European Inventory of Existing Commercial Chemical Europe Yes Substances (EINECS)

European List of Notified Chemical Substances (ELINCS) Europe No Inventory of Existing and New Chemical Substances (ENCS) Japan No Korea Existing Chemicals List (ECL) Yes New Zealand Yes New Zealand Inventory Philippines Yes

Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

Taiwan Taiwan Chemical Substance Inventory (TCSI) Yes United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

16. Other information, including date of preparation or last revision

14-December-2013 Issue date **Revision date** 27-February-2023

Version # 07

NFPA ratings



This information is provided without warranty. The information is believed to be correct. This **Disclaimer**

information should be used to make an independent determination of the methods to safeguard

workers and the environment.

SDS US

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).